

FIG. 1




FIG. 2





FIG. 3



Characteristic	
Total duration (sec)	1180
Total distance (km)	11.007
Max. speed (km/hr)	120

FIG. 4

2003 T500 "GEI34600TC"






Figure 5: NO_x emissions as a function of odometer miles for a Ford Taurus





7/23





FIG. 8



9/23








FIG. 11













FIG. 16






FIG. 17






FIG. 21

21/23

Appl. No.: 10/084,836 Atty. Doc#: ORYX.E.025A

Jordan, Frederick L.

METHOD AND COMPOSITION FOR USING ORGANIC PLANT MATERIAL, OIL-EXTRACTED...

2007-06-22 00:00:00



FIG. 22

22/23

Appl. No.: 10/084,836 Atty, Doc#: ORYX-E.025A

Jordan, Frederick L.

METHOD AND COMPOSITION FOR USING ORGANIC, PLANT, PLANT EXTRACTED, OIL, EXTRACTED...



FIG. 23

23/23

Appl. No.: 10/084,836 Atty. Doc#: ORYX.E.025A

Jordan, Frederick L.

METHOD AND COMPOSITION FOR USING ORGANIC PLANT LEAVES, OIL-EXTRACTED...

20330 "3234000"

HONDA




FIG. 18




FIG. 20